

**FY05 Annual ECT Summary (All Facilities)
for Treatments Given September 1, 2004 to August 31, 2005**

Number of patients, reported quarterly, to have received ECT: 1673 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>							
1481 White	1172 female	16 0	30 9	44 39	58 28	72 13	86 7		
47 Black	501 male	17 0	31 18	45 57	59 25	73 27	87 8		
115 Latin	1673 reports reflected	18 0	32 10	46 38	60 15	74 25	88 4		
15 Asian		19 6	33 18	47 47	61 15	75 10	89 2		
15 Other		20 3	34 27	48 46	62 19	76 19	90 8		
1673 reports reflected		21 10	35 25	49 50	63 18	77 17	91 0		
		22 6	36 39	50 44	64 20	78 6	92 1		
<u>Hospital admission status</u>		23 15	37 34	51 49	65 21	79 17	93 3		
1644 voluntary patient consenting		24 5	38 34	52 36	66 20	80 17	94 0		
2 involuntary patient consenting		25 10	39 35	53 33	67 28	81 12	95 0		
27 guardian consenting for patient		26 11	40 40	54 47	68 23	82 13	96 0		
1673 reports reflected		27 9	41 51	55 45	69 35	83 18	97 0		
		28 15	42 46	56 28	70 15	84 11	98 0		
<u>Primary source of payment for ECT</u>		29 19	43 30	57 31	71 26	85 12	99 0		
874 private 3rd party (insurer, HMO, etc)								1673 reports reflected	
776 public 3rd party (county, state, Medicaid, etc.)									
19 own/family funds									
4 other									
1673 reports reflected									
<u>Any of the following that occurred within fourteen (14) days of ECT</u>									
		0 apnea		20 reported memory loss					
		1 fracture		1 death					
		0 cardiac arrest		1 autopsy obtained**					

Avg Total Treatments administered during this reporting period

1.9	3198	maintenance treatments administered
0.6	1066	average maintenance treatments per month
5.4	8988	series treatments planned
4.4	7436	series treatments administered
6.0	10050	total number of ECT treatments administered

Status of series treatments

357 ongoing
729 concluded
119 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0 multiple monitoring treatments administered
0 EEG burst suppression--anesthetic treatment for refractory depression
0 narcotherapy using deep anesthesia
0 magnetic seizure therapy

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	442	978	182	67	4	n/a	0	1673
2-4 weeks after ECT	379	1067	197	10	0	17	3	1673
<u>Level of symptom severity present</u>								
before ECT	6	80	215	955	417	n/a	0	1673
2-4 weeks after ECT	243	827	517	61	5	18	2	1673

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Baylor All Saints Medical Centers, Fort Worth												147 *		
<u>Race</u>	<u>Sex</u>	<u>Age</u>												
134 White	91 female	16	0	30	1	44	2	58	0	72	0	86	0	
1 Black	56 male	17	0	31	1	45	8	59	5	73	6	87	0	
4 Latin	147 reports reflected	18	0	32	1	46	1	60	1	74	0	88	0	
1 Asian		19	1	33	1	47	1	61	0	75	0	89	0	
7 Other		20	0	34	4	48	3	62	0	76	1	90	0	
147 reports reflected		21	0	35	1	49	11	63	3	77	1	91	0	
		22	0	36	1	50	6	64	1	78	0	92	0	
<u>Hospital admission status</u>		23	0	37	3	51	10	65	0	79	0	93	0	
147 voluntary patient consenting		24	0	38	3	52	5	66	2	80	1	94	0	
0 involuntary patient consenting		25	0	39	2	53	1	67	6	81	0	95	0	
0 guardian consenting for patient		26	1	40	6	54	1	68	1	82	0	96	0	
147 reports reflected		27	2	41	9	55	6	69	4	83	0	97	0	
		28	6	42	6	56	3	70	1	84	0	98	0	
<u>Primary source of payment for ECT</u>		29	0	43	0	57	5	71	1	85	1	99	0	
110 private 3rd party (insurer, HMO, etc)													147 reports reflected	
37 public 3rd party (county, state, Medicaid, etc.)														
0 own/family funds														
0 other														
147 reports reflected														
													<u>Any of the following that occurred within fourteen (14) days of ECT</u>	
													0 apnea	0 reported memory loss
													0 fracture	0 death
													0 cardiac arrest	0 autopsy obtained**
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>					
<u>Level of memory impairment present</u>														
before ECT		36	111	0	0	0	n/a	0	147					
2-4 weeks after ECT:		10	133	4	0	0	0	0	147					
<u>Level of symptom severity present</u>														
before ECT		0	0	0	14	133	n/a	0	147					
2-4 weeks after ECT:		1	98	44	3	1	0	0	147					
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>						<u>Status of series treatments</u>						
1.9	286	maintenance treatments administered												
0.6	95.3	average maintenance treatments per month						5 ongoing						
3.2	471	series treatments planned						37 concluded						
2.6	383	series treatments administered						10 stopped						
4.5	662	total number of ECT treatments administered												
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>														
0 multiple monitoring treatments administered														
0 EEG burst suppression--anesthetic treatment for refractory depression														
0 narcotherapy using deep anesthesia														
0 magnetic seizure therapy														

*This number may reflect patients who have received ECT in more than one quarter this year.

****Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.**

4/18/2006

FY05 Annual ECT Facility Summary

For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Ben Taub Hospital, Houston													1 *					
<u>Race</u>		<u>Sex</u>	<u>Age</u>															
0	White	0	female	16	0	30	0	44	0	58	0	72	0	86	0			
0	Black	1	male	17	0	31	0	45	1	59	0	73	0	87	0			
1	Latin	1	reports reflected	18	0	32	0	46	0	60	0	74	0	88	0			
0	Asian			19	0	33	0	47	0	61	0	75	0	89	0			
0	Other			20	0	34	0	48	0	62	0	76	0	90	0			
1	reports reflected			21	0	35	0	49	0	63	0	77	0	91	0			
				22	0	36	0	50	0	64	0	78	0	92	0			
<u>Hospital admission status</u>				23	0	37	0	51	0	65	0	79	0	93	0			
1	voluntary patient consenting			24	0	38	0	52	0	66	0	80	0	94	0			
0	involuntary patient consenting			25	0	39	0	53	0	67	0	81	0	95	0			
0	guardian consenting for patient			26	0	40	0	54	0	68	0	82	0	96	0			
1	reports reflected			27	0	41	0	55	0	69	0	83	0	97	0			
				28	0	42	0	56	0	70	0	84	0	98	0			
<u>Primary source of payment for ECT</u>				29	0	43	0	57	0	71	0	85	0	99	0			
0	private 3rd party (insurer, HMO, etc)														1	reports reflected		
0	public 3rd party (county, state, Medicaid, etc.)																	
1	own/family funds														<u>Any of the following that occurred within fourteen (14) days of ECT</u>			
0	other														0	apnea	0	reported memory loss
1	reports reflected														0	fracture	0	death
															0	cardiac arrest	0	autopsy obtained**
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>									
<u>Level of memory impairment present</u>																		
before ECT		1	0	0	0	0	n/a	0	1									
2-4 weeks after ECT:		1	0	0	0	0	0	0	1									
<u>Level of symptom severity present</u>																		
before ECT		0	0	0	0	1	n/a	0	1									
2-4 weeks after ECT:		0	0	0	1	0	0	0	1									
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>						<u>Status of series treatments</u>										
0	0	maintenance treatments administered																
0	0	average maintenance treatments per month						0 ongoing										
9	9	series treatments planned						0 concluded										
9	9	series treatments administered						0 stopped										
9	9	total number of ECT treatments administered																
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>																		
0		multiple monitoring treatments administered																
0		EEG burst suppression--anesthetic treatment for refractory depression																
0		narcotherapy using deep anesthesia																
0		magnetic seizure therapy																

*This number may reflect patients who have received ECT in more than one quarter this year.

****Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.**

FY05 Annual ECT Facility Summary

For Treatments Given September 1, 2004 to August 31, 2005

[illegible]

*This number may reflect patients who have received ECT in more than one quarter this year.

****Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.**

4/18/2006

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Christus St. Joseph Hospital, Houston										33 *
<u>Race</u>	<u>Sex</u>	<u>Age</u>								
29 White	32 female	16	0	30	0	44	1	58	1	72 4 86 0
2 Black	1 male	17	0	31	0	45	1	59	1	73 1 87 0
2 Latin	33 reports reflected	18	0	32	0	46	0	60	0	74 1 88 0
0 Asian		19	0	33	0	47	0	61	0	75 1 89 0
0 Other		20	0	34	0	48	1	62	2	76 0 90 0
33 reports reflected		21	0	35	0	49	0	63	0	77 1 91 0
		22	0	36	0	50	0	64	0	78 0 92 0
<u>Hospital admission status</u>		23	3	37	1	51	0	65	0	79 0 93 0
33 voluntary patient consenting		24	0	38	0	52	0	66	0	80 0 94 0
0 involuntary patient consenting		25	1	39	0	53	0	67	1	81 0 95 0
0 guardian consenting for patient		26	0	40	0	54	0	68	1	82 0 96 0
33 reports reflected		27	0	41	1	55	1	69	0	83 0 97 0
<u>Primary source of payment for ECT</u>		28	1	42	2	56	2	70	0	84 0 98 0
9 private 3rd party (insurer, HMO, etc)		29	0	43	0	57	3	71	1	85 0 99 0
24 public 3rd party (county, state, Medicaid, etc.)										33 reports reflected
0 own/family funds		<u>Any of the following that occurred within fourteen (14) days of ECT</u>								
0 other						0 apnea	0 reported memory loss			
33 reports reflected						0 fracture	0 death			
						0 cardiac arrest	0 autopsy obtained**			
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>	
<u>Level of memory impairment present</u>										
before ECT		0	0	0	33	0	n/a	0	33	
2-4 weeks after ECT:		33	0	0	0	0	0	0	33	
<u>Level of symptom severity present</u>										
before ECT		0	0	0	33	0	n/a	0	33	
2-4 weeks after ECT:		33	0	0	0	0	0	0	33	
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>					<u>Status of series treatments</u>			
2.2	72	maintenance treatments administered					4 ongoing			
0.7	24	average maintenance treatments per month					16 concluded			
3.6	118	series treatments planned					1 stopped			
3.4	113	series treatments administered								
5.7	189	total number of ECT treatments administered								
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>										
0		multiple monitoring treatments administered								
0		EEG burst suppression--anesthetic treatment for refractory depression								
0		narcotherapy using deep anesthesia								
0		magnetic seizure therapy								

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

4/18/2006

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

[illegible]

*This number may reflect patients who have received ECT in more than one quarter this year.

****Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.**

4/18/2006

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Cypress Creek Hospital, Houston											179 *			
<u>Race</u>		<u>Sex</u>	<u>Age</u>											
158	White	123 female	16	0	30	0	44	8	58	1	72	0	86	0
10	Black	56 male	17	0	31	4	45	10	59	0	73	0	87	0
9	Latin	179 reports reflected	18	0	32	2	46	11	60	2	74	0	88	0
1	Asian		19	2	33	4	47	11	61	5	75	1	89	0
1	Other		20	0	34	2	48	8	62	0	76	4	90	0
179	reports reflected		21	4	35	2	49	5	63	1	77	1	91	0
			22	5	36	8	50	2	64	2	78	0	92	0
<u>Hospital admission status</u>			23	7	37	5	51	1	65	0	79	2	93	0
179	voluntary patient consenting		24	1	38	5	52	4	66	2	80	1	94	0
0	involuntary patient consenting		25	1	39	2	53	0	67	0	81	0	95	0
0	guardian consenting for patient		26	2	40	5	54	1	68	2	82	1	96	0
179	reports reflected		27	4	41	10	55	2	69	0	83	0	97	0
			28	2	42	5	56	2	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>			29	2	43	3	57	0	71	2	85	0	99	0
82	private 3rd party (insurer, HMO, etc)										179 reports reflected			
96	public 3rd party (county, state, Medicaid, etc.)													
1	own/family funds										<u>Any of the following that occurred within fourteen (14) days of ECT</u>			
0	other										0 apnea 0 reported memory loss			
											0 fracture 1 death			
179	reports reflected										0 cardiac arrest 1 autopsy obtained**			
			<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>				
<u>Level of memory impairment present</u>														
	before ECT		15	127	30	7	0	n/a	0	179				
	2-4 weeks after ECT:		17	147	15	0	0	0	0	179				
<u>Level of symptom severity present</u>														
	before ECT		0	4	14	155	6	n/a	0	179				
	2-4 weeks after ECT:		1	97	78	2	1	0	0	179				
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>				<u>Status of series treatments</u>								
2.0	360	maintenance treatments administered				71 ongoing								
0.7	120	average maintenance treatments per month				72 concluded								
8.7	1564	series treatments planned				18 stopped								
4.6	823	series treatments administered												
4.9	872	total number of ECT treatments administered												
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>														
0		multiple monitoring treatments administered												
0		EEG burst suppression--anesthetic treatment for refractory depression												
0		narcotherapy using deep anesthesia												
0		magnetic seizure therapy												

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at DePaul Center, Waco										32 *
<u>Race</u>	<u>Sex</u>	<u>Age</u>								
30 White	23 female	16	0	30	0	44	0	58	0	72 1 86 0
0 Black	9 male	17	0	31	0	45	0	59	0	73 0 87 0
1 Latin	32 reports reflected	18	0	32	0	46	1	60	0	74 0 88 0
0 Asian		19	0	33	0	47	6	61	1	75 0 89 0
1 Other		20	0	34	3	48	2	62	0	76 0 90 0
32 reports reflected		21	0	35	0	49	0	63	0	77 0 91 0
		22	0	36	0	50	0	64	0	78 0 92 0
<u>Hospital admission status</u>		23	0	37	1	51	0	65	0	79 1 93 0
32 voluntary patient consenting		24	0	38	0	52	0	66	0	80 0 94 0
0 involuntary patient consenting		25	0	39	1	53	0	67	0	81 0 95 0
0 guardian consenting for patient		26	3	40	0	54	0	68	0	82 1 96 0
32 reports reflected		27	1	41	0	55	1	69	0	83 3 97 0
		28	0	42	5	56	0	70	0	84 0 98 0
<u>Primary source of payment for ECT</u>		29	0	43	1	57	0	71	0	85 0 99 0
21 private 3rd party (insurer, HMO, etc)										32 reports reflected
11 public 3rd party (county, state, Medicaid, etc.)										
0 own/family funds										
0 other										
32 reports reflected										
<u>Any of the following that occurred within fourteen (14) days of ECT</u>										
						0 apnea		0 reported memory loss		
						1 fracture		0 death		
						0 cardiac arrest		0 autopsy obtained**		
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>	
<u>Level of memory impairment present</u>										
before ECT		22	10	0	0	0	n/a	0	32	
2-4 weeks after ECT:		18	12	1	1	0	0	0	32	
<u>Level of symptom severity present</u>										
before ECT		3	1	8	12	8	n/a	0	32	
2-4 weeks after ECT:		8	1	15	8	0	0	0	32	
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>				<u>Status of series treatments</u>				
3.5	113	maintenance treatments administered				22 ongoing				
1.2	37.7	average maintenance treatments per month				0 concluded				
6.6	211	series treatments planned				10 stopped				
0.3	10	series treatments administered								
7.1	227	total number of ECT treatments administered								
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>										
0	multiple monitoring treatments administered									
0	EEG burst suppression--anesthetic treatment for refractory depression									
0	narcotherapy using deep anesthesia									
0	magnetic seizure therapy									

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Green Oaks Behavioral Network, Dallas											78 *								
<u>Race</u>	<u>Sex</u>	<u>Age</u>																	
73 White	53 female	16	0	30	1	44	1	58	3	72	1	86	0						
0 Black	25 male	17	0	31	0	45	3	59	1	73	0	87	0						
4 Latin	78 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0						
1 Asian		19	0	33	1	47	1	61	0	75	0	89	0						
0 Other		20	2	34	1	48	1	62	1	76	0	90	2						
78 reports reflected		21	0	35	5	49	0	63	2	77	2	91	0						
		22	0	36	1	50	7	64	1	78	0	92	0						
<u>Hospital admission status</u>		23	0	37	0	51	2	65	0	79	2	93	0						
78 voluntary patient consenting		24	0	38	0	52	4	66	2	80	2	94	0						
0 involuntary patient consenting		25	0	39	1	53	3	67	0	81	1	95	0						
0 guardian consenting for patient		26	0	40	1	54	4	68	1	82	0	96	0						
78 reports reflected		27	1	41	2	55	0	69	0	83	0	97	0						
		28	0	42	3	56	1	70	0	84	0	98	0						
<u>Primary source of payment for ECT</u>		29	0	43	5	57	2	71	4	85	0	99	0						
41 private 3rd party (insurer, HMO, etc)																			
37 public 3rd party (county, state, Medicaid, etc.)																			
0 own/family funds																			
0 other																			
78 reports reflected																			
												78 reports reflected							
												<u>Any of the following that occurred within fourteen (14) days of ECT</u>							
												0 apnea	0 reported memory loss						
												0 fracture	0 death						
												0 cardiac arrest	0 autopsy obtained**						
												<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>																			
before ECT												1	61	12	4	0	n/a	0	78
2-4 weeks after ECT:												5	30	31	0	0	12	0	78
<u>Level of symptom severity present</u>																			
before ECT												0	1	2	75	0	n/a	0	78
2-4 weeks after ECT:												18	37	9	1	0	13	0	78
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>										<u>Status of series treatments</u>							
0.1	11	maintenance treatments administered																	
0.05	3.67	average maintenance treatments per month										21 ongoing							
9.9	776	series treatments planned										45 concluded							
1	78	series treatments administered										12 stopped							
7.9	615	total number of ECT treatments administered																	
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>																			
0 multiple monitoring treatments administered																			
0 EEG burst suppression--anesthetic treatment for refractory depression																			
0 narcotherapy using deep anesthesia																			
0 magnetic seizure therapy																			

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Las Palmas Medical Center, El Paso													20 *					
<u>Race</u>		<u>Sex</u>	<u>Age</u>															
10	White	15	female	16	0	30	0	44	0	58	1	72	0	86	0			
1	Black	5	male	17	0	31	1	45	0	59	0	73	1	87	0			
9	Latin	20	reports reflected	18	0	32	0	46	1	60	1	74	0	88	0			
0	Asian			19	0	33	1	47	0	61	1	75	0	89	0			
0	Other			20	0	34	0	48	0	62	0	76	0	90	0			
20	reports reflected			21	0	35	0	49	0	63	1	77	0	91	0			
				22	0	36	0	50	1	64	0	78	0	92	0			
<u>Hospital admission status</u>				23	0	37	0	51	0	65	1	79	0	93	0			
20	voluntary patient consenting			24	1	38	0	52	0	66	0	80	1	94	0			
0	involuntary patient consenting			25	1	39	0	53	0	67	1	81	0	95	0			
0	guardian consenting for patient			26	0	40	0	54	1	68	0	82	0	96	0			
20	reports reflected			27	0	41	0	55	0	69	1	83	0	97	0			
				28	0	42	1	56	0	70	0	84	0	98	0			
<u>Primary source of payment for ECT</u>				29	0	43	0	57	3	71	0	85	0	99	0			
17	private 3rd party (insurer, HMO, etc)														20	reports reflected		
3	public 3rd party (county, state, Medicaid, etc.)																	
0	own/family funds														<u>Any of the following that occurred within fourteen (14) days of ECT</u>			
0	other														0	apnea	0	reported memory loss
20	reports reflected														0	fracture	0	death
															0	cardiac arrest	0	autopsy obtained**
				<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>							
<u>Level of memory impairment present</u>																		
before ECT				0	7	2	9	2	n/a	0	20							
2-4 weeks after ECT:				0	11	9	0	0	0	0	20							
<u>Level of symptom severity present</u>																		
before ECT				0	0	0	16	4	n/a	0	20							
2-4 weeks after ECT:				0	15	5	0	0	0	0	20							
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>																
1.2	23	maintenance treatments administered																
0.4	7.67	average maintenance treatments per month																
5.3	106	series treatments planned																
1	20	series treatments administered																
6.1	122	total number of ECT treatments administered																
<u>Status of series treatments</u>																		
2 ongoing																		
17 concluded																		
1 stopped																		
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>																		
0 multiple monitoring treatments administered																		
0 EEG burst suppression--anesthetic treatment for refractory depression																		
0 narcotherapy using deep anesthesia																		
0 magnetic seizure therapy																		

*This number may reflect patients who have received ECT in more than one quarter this year.

****Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.**

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Memorial Hermann Baptist Beh Hlth Ctr, Beaumont										11 *				
<u>Race</u>	<u>Sex</u>	<u>Age</u>												
11 White	8 female	16	0	30	0	44	1	58	0	72	0	86	0	
0 Black	3 male	17	0	31	0	45	0	59	0	73	0	87	0	
0 Latin	11 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0	
0 Asian		19	0	33	0	47	1	61	0	75	0	89	0	
0 Other		20	0	34	0	48	0	62	2	76	0	90	0	
11 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0	
		22	0	36	0	50	0	64	0	78	0	92	1	
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0	
11 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0	
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0	
0 guardian consenting for patient		26	0	40	0	54	1	68	1	82	0	96	0	
11 reports reflected		27	0	41	0	55	1	69	0	83	1	97	0	
		28	0	42	0	56	0	70	0	84	0	98	0	
<u>Primary source of payment for ECT</u>		29	0	43	2	57	0	71	0	85	0	99	0	
8 private 3rd party (insurer, HMO, etc)														
3 public 3rd party (county, state, Medicaid, etc.)														
0 own/family funds														
0 other														
11 reports reflected														
													11 reports reflected	
													<u>Any of the following that occurred within fourteen (14) days of ECT</u>	
													0 apnea	0 reported memory loss
													0 fracture	0 death
													0 cardiac arrest	0 autopsy obtained**
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>					
<u>Level of memory impairment present</u>														
before ECT		1	8	2	0	0	n/a	0	11					
2-4 weeks after ECT:		2	8	1	0	0	0	0	11					
<u>Level of symptom severity present</u>														
before ECT		0	0	1	9	1	n/a	0	11					
2-4 weeks after ECT:		0	9	2	0	0	0	0	11					
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>						<u>Status of series treatments</u>						
2.4	26	maintenance treatments administered												
0.8	8.67	average maintenance treatments per month						11 ongoing						
8	88	series treatments planned						0 concluded						
1	11	series treatments administered						0 stopped						
4.3	47	total number of ECT treatments administered												
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>														
0		multiple monitoring treatments administered												
0		EEG burst suppression--anesthetic treatment for refractory depression												
0		narcotherapy using deep anesthesia												
0		magnetic seizure therapy												

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Methodist Specialty/Transplant Hosp, San Antonio											237 *			
<u>Race</u>		<u>Sex</u>	<u>Age</u>											
171	White	200 female	16	0	30	2	44	14	58	6	72	0	86	1
5	Black	37 male	17	0	31	8	45	8	59	4	73	3	87	0
61	Latin	237 reports reflected	18	0	32	2	46	9	60	3	74	5	88	0
0	Asian		19	1	33	3	47	3	61	2	75	1	89	0
0	Other		20	0	34	5	48	6	62	2	76	2	90	0
237	reports reflected		21	1	35	2	49	7	63	3	77	3	91	0
			22	1	36	8	50	8	64	0	78	0	92	0
<u>Hospital admission status</u>			23	0	37	6	51	13	65	3	79	4	93	0
234	voluntary patient consenting		24	0	38	9	52	5	66	6	80	0	94	0
1	involuntary patient consenting		25	0	39	7	53	3	67	4	81	1	95	0
2	guardian consenting for patient		26	1	40	6	54	5	68	6	82	0	96	0
237	reports reflected		27	1	41	3	55	11	69	7	83	0	97	0
			28	1	42	1	56	1	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>			29	1	43	3	57	3	71	3	85	0	99	0
129	private 3rd party (insurer, HMO, etc)												237 reports reflected	
106	public 3rd party (county, state, Medicaid, etc.)													
1	own/family funds													
1	other													
237	reports reflected													
											<u>Any of the following that occurred within fourteen (14) days of ECT</u>			
											0	apnea	0	reported memory loss
											0	fracture	0	death
											0	cardiac arrest	0	autopsy obtained**
			<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>				
<u>Level of memory impairment present</u>														
	before ECT		88	126	20	1	2	n/a	0	237				
	2-4 weeks after ECT:		70	146	21	0	0	0	0	237				
<u>Level of symptom severity present</u>														
	before ECT		0	5	33	114	85	n/a	0	237				
	2-4 weeks after ECT:		2	95	128	12	0	0	0	237				
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>				<u>Status of series treatments</u>								
2.2	521	maintenance treatments administered				20 ongoing								
0.7	174	average maintenance treatments per month				150 concluded								
3.6	844	series treatments planned				0 stopped								
5	1177	series treatments administered												
5.9	1397	total number of ECT treatments administered												
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>														
0	multiple monitoring treatments administered													
0	EEG burst suppression--anesthetic treatment for refractory depression													
0	narcotherapy using deep anesthesia													
0	magnetic seizure therapy													

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

4/18/2006

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Millwood Hospital, Arlington

4 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>							
4 White	0 female	16	0	30	0	44	0	58	0
0 Black	4 male	17	0	31	0	45	0	59	0
0 Latin	4 reports reflected	18	0	32	0	46	0	60	0
0 Asian		19	0	33	0	47	0	61	1
0 Other		20	0	34	0	48	0	62	0
4 reports reflected		21	0	35	0	49	0	63	0
		22	0	36	0	50	0	64	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0
4 voluntary patient consenting		24	0	38	0	52	0	66	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0
0 guardian consenting for patient		26	0	40	1	54	1	68	0
4 reports reflected		27	0	41	1	55	0	69	0
		28	0	42	0	56	0	70	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0
1 private 3rd party (insurer, HMO, etc)									
3 public 3rd party (county, state, Medicaid, etc.)									
0 own/family funds									
0 other									
4 reports reflected									
<u>Any of the following that occurred within fourteen (14) days of ECT</u>									
						0 apnea		0 reported memory loss	
						0 fracture		0 death	
						0 cardiac arrest		0 autopsy obtained**	

4 reports reflected

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	1	2	1	0	0	n/a	0	4
2-4 weeks after ECT:	0	3	1	0	0	0	0	4
<u>Level of symptom severity present</u>								
before ECT	0	0	0	0	4	n/a	0	4
2-4 weeks after ECT:	1	0	3	0	0	0	0	4

Avg Total Treatments administered during this reporting period

0	0	maintenance treatments administered
0	0	average maintenance treatments per month
0	0	series treatments planned
0.3	1	series treatments administered
6	24	total number of ECT treatments administered

Status of series treatments

4 ongoing
0 concluded
0 stopped

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

4/18/2006

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Osteopathic Medical Center of Texas, Fort Worth										12 *			
<u>Race</u>	<u>Sex</u>	<u>Age</u>											
11 White	11 female	16	0	30	1	44	1	58	0	72	0	86	0
0 Black	1 male	17	0	31	0	45	0	59	0	73	0	87	0
1 Latin	12 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0
0 Asian		19	0	33	0	47	0	61	0	75	1	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
12 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0	79	0	93	0
12 voluntary patient consenting		24	0	38	0	52	0	66	2	80	1	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	1	40	0	54	1	68	0	82	0	96	0
12 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	3	57	0	71	0	85	0	99	0
4 private 3rd party (insurer, HMO, etc)													
8 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
12 reports reflected													
<u>Any of the following that occurred within fourteen (14) days of ECT</u>													
0 apnea													
0 reported memory loss													
0 fracture													
0 death													
0 cardiac arrest													
0 autopsy obtained**													
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>				
<u>Level of memory impairment present</u>													
before ECT		7	5	0	0	0	n/a	0	12				
2-4 weeks after ECT:		5	5	0	0	0	0	2	12				
<u>Level of symptom severity present</u>													
before ECT		0	0	0	0	12	n/a	0	12				
2-4 weeks after ECT:		7	3	0	0	0	0	2	12				
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>											
0	0	maintenance treatments administered											
0	0	average maintenance treatments per month											
8.8	105	series treatments planned											
8.1	97	series treatments administered											
8.1	97	total number of ECT treatments administered											
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>													
0 multiple monitoring treatments administered													
0 EEG burst suppression--anesthetic treatment for refractory depression													
0 narcotherapy using deep anesthesia													
0 magnetic seizure therapy													

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

4/18/2006

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Presbyterian Hospital of Dallas										22 *
<u>Race</u>	<u>Sex</u>	<u>Age</u>								
22 White	14 female	16	0	30	0	44	1	58	0	72 0 86 0
0 Black	8 male	17	0	31	0	45	0	59	0	73 0 87 0
0 Latin	22 reports reflected	18	0	32	0	46	0	60	0	74 2 88 0
0 Asian		19	0	33	0	47	0	61	1	75 1 89 1
0 Other		20	0	34	0	48	0	62	1	76 0 90 0
22 reports reflected		21	0	35	1	49	0	63	0	77 0 91 0
		22	0	36	0	50	1	64	0	78 0 92 0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	1	79 0 93 3
22 voluntary patient consenting		24	0	38	0	52	0	66	1	80 0 94 0
0 involuntary patient consenting		25	0	39	1	53	0	67	1	81 0 95 0
0 guardian consenting for patient		26	0	40	2	54	1	68	0	82 1 96 0
22 reports reflected		27	0	41	0	55	0	69	0	83 0 97 0
		28	0	42	0	56	0	70	0	84 1 98 0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85 1 99 0
7 private 3rd party (insurer, HMO, etc)										22 reports reflected
15 public 3rd party (county, state, Medicaid, etc.)										
0 own/family funds		<u>Any of the following that occurred within fourteen (14) days of ECT</u>								
0 other		0 apnea				11 reported memory loss				
22 reports reflected		0 fracture				0 death				
		0 cardiac arrest				0 autopsy obtained**				
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>	
<u>Level of memory impairment present</u>										
before ECT		11	11	0	0	0	n/a	0	22	
2-4 weeks after ECT:		2	13	7	0	0	0	0	22	
<u>Level of symptom severity present</u>										
before ECT		0	0	4	17	1	n/a	0	22	
2-4 weeks after ECT:		13	8	1	0	0	0	0	22	
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>				<u>Status of series treatments</u>				
0.4	8	maintenance treatments administered				2 ongoing				
0.1	2.67	average maintenance treatments per month				18 concluded				
5.5	120	series treatments planned				0 stopped				
5.4	118	series treatments administered								
5.5	122	total number of ECT treatments administered								
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>										
0		multiple monitoring treatments administered								
0		EEG burst suppression--anesthetic treatment for refractory depression								
0		narcotherapy using deep anesthesia								
0		magnetic seizure therapy								

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

4/18/2006

FY05 Annual ECT Facility Summary

For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Richardson Regional Medical Center, Richardson													55 *	
Race		Sex	Age											
51	White	43 female	16	0	30	0	44	0	58	1	72	0	86	0
1	Black	12 male	17	0	31	0	45	4	59	1	73	0	87	0
3	Latin	55 reports reflected	18	0	32	0	46	1	60	0	74	0	88	0
0	Asian		19	0	33	0	47	1	61	0	75	0	89	0
0	Other		20	0	34	0	48	2	62	0	76	0	90	0
55	reports reflected		21	0	35	3	49	2	63	0	77	0	91	0
			22	0	36	0	50	0	64	3	78	0	92	0
<u>Hospital admission status</u>			23	0	37	1	51	3	65	3	79	0	93	0
55	voluntary patient consenting		24	0	38	2	52	3	66	0	80	0	94	0
0	involuntary patient consenting		25	0	39	1	53	2	67	0	81	0	95	0
0	guardian consenting for patient		26	0	40	2	54	0	68	0	82	0	96	0
55	reports reflected		27	0	41	1	55	7	69	0	83	0	97	0
			28	0	42	9	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>			29	2	43	1	57	0	71	0	85	0	99	0
49	private 3rd party (insurer, HMO, etc)													55 reports reflected
6	public 3rd party (county, state, Medicaid, etc.)													
0	own/family funds													
0	other													
55	reports reflected													
			<u>Any of the following that occurred within fourteen (14) days of ECT</u>											
			0 apnea						9 reported memory loss					
			0 fracture						0 death					
			0 cardiac arrest						0 autopsy obtained**					

*This number may reflect patients who have received ECT in more than one quarter this year.

****Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.**

4/18/2006

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at San Jacinto Methodist Hospital, Baytown												10 *	
<u>Race</u>	<u>Sex</u>	<u>Age</u>											
9 White	6 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black	4 male	17	0	31	0	45	0	59	0	73	0	87	0
0 Latin	10 reports reflected	18	0	32	0	46	1	60	0	74	0	88	0
1 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 Other		20	0	34	0	48	0	62	0	76	0	90	0
10 reports reflected		21	0	35	0	49	1	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	1	51	0	65	0	79	0	93	0
10 voluntary patient consenting		24	0	38	1	52	1	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	2	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	1	54	2	68	0	82	0	96	0
10 reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
10 private 3rd party (insurer, HMO, etc)													10 reports reflected
0 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
10 reports reflected													
													<u>Any of the following that occurred within fourteen (14) days of ECT</u>
													0 apnea 0 reported memory loss
													0 fracture 0 death
													0 cardiac arrest 0 autopsy obtained**
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>				
<u>Level of memory impairment present</u>													
before ECT		1	9	0	0	0	n/a	0	10				
2-4 weeks after ECT:		0	9	1	0	0	0	0	10				
<u>Level of symptom severity present</u>													
before ECT		0	0	0	0	10	n/a	0	10				
2-4 weeks after ECT:		0	1	9	0	0	0	0	10				
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>											
0.6	6	maintenance treatments administered											
0.2	2	average maintenance treatments per month											
5.2	52	series treatments planned											
2.9	29	series treatments administered											
6	60	total number of ECT treatments administered											
<u>Status of series treatments</u>													
0 ongoing													
0 concluded													
0 stopped													
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>													
0 multiple monitoring treatments administered													
0 EEG burst suppression--anesthetic treatment for refractory depression													
0 narcotherapy using deep anesthesia													
0 magnetic seizure therapy													

*This number may reflect patients who have received ECT in more than one quarter this year.

****Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.**

4/18/2006

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Scott & White Memorial Hospital, Temple										66 *	
<u>Race</u>	<u>Sex</u>	<u>Age</u>									
60 White	43 female	16	0	30	0	44	0	58	0	86	0
0 Black	23 male	17	0	31	0	45	2	59	2	73	1
6 Latin	66 reports reflected	18	0	32	0	46	1	60	2	74	2
0 Asian		19	0	33	0	47	4	61	0	75	2
0 Other		20	0	34	0	48	1	62	0	76	0
66 reports reflected		21	0	35	0	49	0	63	0	77	3
		22	0	36	0	50	1	64	3	78	1
<u>Hospital admission status</u>		23	0	37	4	51	1	65	2	79	2
66 voluntary patient consenting		24	0	38	3	52	0	66	0	80	2
0 involuntary patient consenting		25	2	39	1	53	0	67	4	81	0
0 guardian consenting for patient		26	1	40	2	54	0	68	2	82	1
66 reports reflected		27	0	41	3	55	0	69	2	83	0
		28	0	42	1	56	1	70	1	84	2
<u>Primary source of payment for ECT</u>		29	1	43	1	57	1	71	0	85	0
30 private 3rd party (insurer, HMO, etc)											66 reports reflected
32 public 3rd party (county, state, Medicaid, etc.)		<u>Any of the following that occurred within fourteen (14) days of ECT</u>									
1 own/family funds						0 apnea	0 reported memory loss				
3 other						0 fracture	0 death				
66 reports reflected						0 cardiac arrest	0 autopsy obtained**				
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>		
<u>Level of memory impairment present</u>											
before ECT		61	5	0	0	0	n/a	0	66		
2-4 weeks after ECT:		56	9	1	0	0	0	0	66		
<u>Level of symptom severity present</u>											
before ECT		0	1	14	51	0	n/a	0	66		
2-4 weeks after ECT:		4	24	26	12	0	0	0	66		
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>				<u>Status of series treatments</u>					
0.8	54	maintenance treatments administered				29 ongoing					
0.3	18	average maintenance treatments per month				34 concluded					
15	989	series treatments planned				2 stopped					
0.9	62	series treatments administered									
6.4	420	total number of ECT treatments administered									
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>											
0 multiple monitoring treatments administered											
0 EEG burst suppression--anesthetic treatment for refractory depression											
0 narcotherapy using deep anesthesia											
0 magnetic seizure therapy											

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

4/18/2006

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Seton Shoal Creek Hospital, Austin													184 *		
<u>Race</u>		<u>Sex</u>	<u>Age</u>												
175	White	129	female	16	0	30	2	44	3	58	4	72	1	86	0
1	Black	55	male	17	0	31	0	45	10	59	4	73	3	87	0
6	Latin	184	reports reflected	18	0	32	2	46	2	60	2	74	0	88	0
2	Asian			19	1	33	2	47	9	61	0	75	0	89	0
0	Other			20	1	34	0	48	2	62	3	76	1	90	0
184	reports reflected			21	2	35	1	49	7	63	1	77	0	91	0
				22	0	36	12	50	7	64	5	78	0	92	0
<u>Hospital admission status</u>				23	3	37	1	51	9	65	2	79	0	93	0
180	voluntary patient consenting			24	1	38	2	52	4	66	0	80	0	94	0
0	involuntary patient consenting			25	3	39	5	53	7	67	2	81	0	95	0
4	guardian consenting for patient			26	0	40	8	54	2	68	0	82	3	96	0
184	reports reflected			27	0	41	9	55	6	69	0	83	1	97	0
				28	2	42	7	56	4	70	5	84	1	98	0
<u>Primary source of payment for ECT</u>				29	4	43	4	57	2	71	0	85	0	99	0
130	private 3rd party (insurer, HMO, etc)													184 reports reflected	
48	public 3rd party (county, state, Medicaid, etc.)														
6	own/family funds														
0	other														
184	reports reflected														
				<u>Any of the following that occurred within fourteen (14) days of ECT</u>											
				0 apnea					0 reported memory loss						
				0 fracture					0 death						
				0 cardiac arrest					0 autopsy obtained**						
				<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>				
<u>Level of memory impairment present</u>															
before ECT				18	123	35	8	0	n/a	0	184				
2-4 weeks after ECT:				14	126	38	6	0	0	0	184				
<u>Level of symptom severity present</u>															
before ECT				3	40	24	61	56	n/a	0	184				
2-4 weeks after ECT:				4	99	75	6	0	0	0	184				
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>										<u>Status of series treatments</u>			
2.3	427	maintenance treatments administered													
0.8	142	average maintenance treatments per month										41 ongoing			
5.5	1015	series treatments planned										89 concluded			
7.8	1426	series treatments administered										34 stopped			
7.7	1425	total number of ECT treatments administered													
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>															
0		multiple monitoring treatments administered													
0		EEG burst suppression--anesthetic treatment for refractory depression													
0		narcotherapy using deep anesthesia													
0		magnetic seizure therapy													

*This number may reflect patients who have received ECT in more than one quarter this year.

****Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.**

4/18/2006

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at St. David's Pavilion, Austin

53 *

<u>Race</u>	<u>Sex</u>	<u>Age</u>							
53 White	34 female	16	0	30	0	44	0	58	0
0 Black	19 male	17	0	31	0	45	0	59	0
0 Latin	53 reports reflected	18	0	32	0	46	0	60	1
0 Asian		19	0	33	0	47	0	61	1
0 Other		20	0	34	0	48	0	62	0
53 reports reflected		21	0	35	0	49	0	63	0
		22	0	36	0	50	0	64	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	0
48 voluntary patient consenting		24	0	38	0	52	0	66	0
0 involuntary patient consenting		25	0	39	0	53	0	67	1
5 guardian consenting for patient		26	0	40	0	54	0	68	0
53 reports reflected		27	0	41	0	55	0	69	0
		28	0	42	0	56	0	70	1
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	4
0 private 3rd party (insurer, HMO, etc)									
53 public 3rd party (county, state, Medicaid, etc.)									
0 own/family funds									
0 other									
53 reports reflected									
<u>Any of the following that occurred within fourteen (14) days of ECT</u>									

53 reports reflected

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	12	29	12	0	0	n/a	0	53
2-4 weeks after ECT:	16	30	4	0	0	3	0	53
<u>Level of symptom severity present</u>								
before ECT	0	0	5	39	9	n/a	0	53
2-4 weeks after ECT:	15	30	5	0	0	3	0	53

Avg Total Treatments administered during this reporting period

Status of series treatments

3.1	165	maintenance treatments administered	
1.0	55	average maintenance treatments per month	3 ongoing
3	158	series treatments planned	17 concluded
2.7	144	series treatments administered	0 stopped
5.9	312	total number of ECT treatments administered	

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

4/18/2006

FY05 Annual ECT Facility Summary

For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at St. Lukes Baptist Hospital, San Antonio													3 *		
Race		Sex	Age												
3	White	0 female	16	0	30	0	44	0	58	0	72	0	86	0	
0	Black	3 male	17	0	31	0	45	0	59	0	73	0	87	0	
0	Latin	3 reports reflected	18	0	32	0	46	0	60	0	74	0	88	0	
0	Asian		19	0	33	0	47	0	61	0	75	0	89	0	
0	Other		20	0	34	0	48	0	62	0	76	0	90	0	
3 reports reflected			21	0	35	0	49	0	63	0	77	0	91	0	
			22	0	36	0	50	0	64	0	78	0	92	0	
Hospital admission status			23	0	37	0	51	0	65	0	79	2	93	0	
3	voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0	
0	involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0	
0	guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	0	
3	reports reflected		27	0	41	0	55	0	69	0	83	0	97	0	
			28	0	42	0	56	0	70	0	84	1	98	0	
Primary source of payment for ECT			29	0	43	0	57	0	71	0	85	0	99	0	
1	private 3rd party (insurer, HMO, etc)													3 reports reflected	
2	public 3rd party (county, state, Medicaid, etc.)														
0	own/family funds														
0	other														
3	reports reflected														
														Any of the following that occurred within fourteen (14) days of ECT	
														0 apnea	0 reported memory loss
														0 fracture	0 death
														0 cardiac arrest	0 autopsy obtained**
			none	mild	moderate	severe	extreme	ongoing series	unable to be determined	reports reflected					
Level of memory impairment present															
	before ECT		1	0	2	0	0	n/a	0	3					
	2-4 weeks after ECT:		1	0	2	0	0	0	0	3					
Level of symptom severity present															
	before ECT		0	0	0	1	2	n/a	0	3					
	2-4 weeks after ECT:		0	1	2	0	0	0	0	3					
Avg	Total	Treatments administered during this reporting period										Status of series treatments			
0	0	maintenance treatments administered													
0	0	average maintenance treatments per month										0 ongoing			
4.7	14	series treatments planned										2 concluded			
4.7	14	series treatments administered										0 stopped			
4.7	14	total number of ECT treatments administered													
Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578															
0		multiple monitoring treatments administered													
0		EEG burst suppression--anesthetic treatment for refractory depression													
0		narcotherapy using deep anesthesia													
0		magnetic seizure therapy													

*This number may reflect patients who have received ECT in more than one quarter this year.

****Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.**

4/18/2006

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Terrell State Hospital, Terrell										36 *
<u>Race</u>	<u>Sex</u>	<u>Age</u>								
31 White	15 female	16	0	30	0	44	1	58	2	72 0 86 0
3 Black	21 male	17	0	31	2	45	0	59	0	73 0 87 0
2 Latin	36 reports reflected	18	0	32	0	46	2	60	0	74 0 88 0
0 Asian		19	0	33	1	47	0	61	0	75 0 89 0
0 Other		20	0	34	0	48	2	62	0	76 0 90 0
36 reports reflected		21	0	35	0	49	5	63	0	77 0 91 0
		22	0	36	0	50	0	64	0	78 0 92 0
<u>Hospital admission status</u>		23	0	37	1	51	0	65	0	79 0 93 0
28 voluntary patient consenting		24	0	38	2	52	0	66	4	80 0 94 0
0 involuntary patient consenting		25	0	39	3	53	0	67	1	81 0 95 0
8 guardian consenting for patient		26	0	40	0	54	0	68	0	82 0 96 0
36 reports reflected		27	0	41	1	55	0	69	4	83 0 97 0
		28	0	42	0	56	1	70	0	84 0 98 0
<u>Primary source of payment for ECT</u>		29	0	43	2	57	2	71	0	85 0 99 0
0 private 3rd party (insurer, HMO, etc)										36 reports reflected
36 public 3rd party (county, state, Medicaid, etc.)		<u>Any of the following that occurred within fourteen (14) days of ECT</u>								
0 own/family funds		0 apnea				0 reported memory loss				
0 other		0 fracture				0 death				
36 reports reflected		0 cardiac arrest				0 autopsy obtained**				
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>	
<u>Level of memory impairment present</u>										
before ECT		0	31	5	0	0	n/a	0	36	
2-4 weeks after ECT:		0	32	4	0	0	0	0	36	
<u>Level of symptom severity present</u>										
before ECT		0	4	12	18	2	n/a	0	36	
2-4 weeks after ECT:		1	15	10	8	2	0	0	36	
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>				<u>Status of series treatments</u>				
1.2	44	maintenance treatments administered								
0.4	14.7	average maintenance treatments per month				19 ongoing				
6.6	236	series treatments planned				11 concluded				
6.4	230	series treatments administered				1 stopped				
6.8	246	total number of ECT treatments administered								
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>										
0		multiple monitoring treatments administered								
0		EEG burst suppression--anesthetic treatment for refractory depression								
0		narcotherapy using deep anesthesia								
0		magnetic seizure therapy								

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

**FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005**

Number of patients, reported quarterly, to have received ECT at Texas West Oaks Hospital, Houston										230 *
<u>Race</u>	<u>Sex</u>	<u>Age</u>								
204 White	160 female	16	0	30	2	44	1	58	6	72 0 86 5
13 Black	70 male	17	0	31	2	45	4	59	4	73 3 87 5
4 Latin	230 reports reflected	18	0	32	0	46	3	60	1	74 4 88 1
6 Asian		19	0	33	1	47	3	61	3	75 1 89 0
3 Other		20	0	34	3	48	11	62	6	76 0 90 0
230 reports reflected		21	0	35	7	49	7	63	3	77 0 91 0
		22	0	36	7	50	6	64	3	78 3 92 0
<u>Hospital admission status</u>		23	2	37	7	51	6	65	5	79 1 93 0
224 voluntary patient consenting		24	2	38	1	52	9	66	1	80 0 94 0
0 involuntary patient consenting		25	2	39	5	53	8	67	0	81 0 95 0
6 guardian consenting for patient		26	0	40	3	54	19	68	1	82 0 96 0
230 reports reflected		27	0	41	7	55	8	69	3	83 0 97 0
		28	1	42	4	56	11	70	2	84 0 98 0
<u>Primary source of payment for ECT</u>		29	6	43	3	57	6	71	2	85 0 99 0
125 private 3rd party (insurer, HMO, etc)										230 reports reflected
98 public 3rd party (county, state, Medicaid, etc.)										
7 own/family funds										
0 other										
230 reports reflected										
<u>Any of the following that occurred within fourteen (14) days of ECT</u>										
						0 apnea		0 reported memory loss		
						0 fracture		0 death		
						0 cardiac arrest		0 autopsy obtained**		

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	23	166	40	1	0	n/a	0	230
2-4 weeks after ECT:	19	173	37	0	0	1	0	230
<u>Level of symptom severity present</u>								
before ECT	0	0	17	182	31	n/a	0	230
2-4 weeks after ECT:	110	110	8	1	0	1	0	230

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
1.8	417	maintenance treatments administered	
0.6	139	average maintenance treatments per month	30 ongoing
2.5	572	series treatments planned	63 concluded
2.8	636	series treatments administered	14 stopped
4.5	1044	total number of ECT treatments administered	

<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

4/18/2006

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at The Methodist Hospital, Houston										73 *
<u>Race</u>	<u>Sex</u>	<u>Age</u>								
65 White	53 female	16	0	30	0	44	0	58	1	72 2 86 0
6 Black	20 male	17	0	31	0	45	2	59	0	73 1 87 2
0 Latin	73 reports reflected	18	0	32	1	46	1	60	0	74 2 88 0
1 Asian		19	0	33	1	47	1	61	0	75 0 89 0
1 Other		20	0	34	4	48	4	62	1	76 1 90 0
73 reports reflected		21	1	35	0	49	3	63	0	77 1 91 0
		22	0	36	0	50	2	64	0	78 1 92 0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	1	79 0 93 0
70 voluntary patient consenting		24	0	38	1	52	0	66	0	80 9 94 0
1 involuntary patient consenting		25	0	39	2	53	1	67	4	81 2 95 0
2 guardian consenting for patient		26	0	40	1	54	2	68	3	82 0 96 0
73 reports reflected		27	0	41	0	55	0	69	8	83 0 97 0
		28	2	42	0	56	0	70	2	84 1 98 0
<u>Primary source of payment for ECT</u>		29	1	43	0	57	0	71	1	85 0 99 0
28 private 3rd party (insurer, HMO, etc)										73 reports reflected
44 public 3rd party (county, state, Medicaid, etc.)										
1 own/family funds										
0 other										
73 reports reflected										
<u>Any of the following that occurred within fourteen (14) days of ECT</u>										
					0 apnea	0 reported memory loss				
					0 fracture	0 death				
					0 cardiac arrest	0 autopsy obtained**				
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>	
<u>Level of memory impairment present</u>										
before ECT		36	31	5	1	0	n/a	0	73	
2-4 weeks after ECT:		3	66	4	0	0	0	0	73	
<u>Level of symptom severity present</u>										
before ECT		0	1	29	35	8	n/a	0	73	
2-4 weeks after ECT:		7	57	9	0	0	0	0	73	
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>					<u>Status of series treatments</u>			
1.5	106	maintenance treatments administered					41 ongoing			
0.5	35.3	average maintenance treatments per month					31 concluded			
4.0	293	series treatments planned					0 stopped			
5.1	375	series treatments administered								
5.2	376	total number of ECT treatments administered								
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>										
0 multiple monitoring treatments administered										
0 EEG burst suppression--anesthetic treatment for refractory depression										
0 narcotherapy using deep anesthesia										
0 magnetic seizure therapy										

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY05 Annual ECT Facility Summary
For Treatments Given September 1, 2004 to August 31, 2005

Number of patients, reported quarterly, to have received ECT at Zale Lipshy University Hospital, Dallas										142 *
<u>Race</u>	<u>Sex</u>	<u>Age</u>								
135 White	92 female	16	0	30	0	44	2	58	1	72 1 86 0
3 Black	50 male	17	0	31	0	45	3	59	3	73 3 87 0
2 Latin	142 reports reflected	18	0	32	2	46	3	60	2	74 5 88 0
2 Asian		19	0	33	3	47	5	61	0	75 1 89 0
0 Other		20	0	34	5	48	2	62	1	76 7 90 2
142 reports reflected		21	2	35	3	49	1	63	2	77 2 91 0
		22	0	36	1	50	2	64	0	78 1 92 0
<u>Hospital admission status</u>		23	0	37	1	51	3	65	3	79 0 93 0
142 voluntary patient consenting		24	0	38	5	52	1	66	0	80 0 94 0
0 involuntary patient consenting		25	0	39	1	53	8	67	2	81 4 95 0
0 guardian consenting for patient		26	0	40	2	54	6	68	5	82 4 96 0
142 reports reflected		27	0	41	4	55	2	69	1	83 3 97 0
		28	0	42	2	56	1	70	2	84 2 98 0
<u>Primary source of payment for ECT</u>		29	2	43	2	57	3	71	6	85 2 99 0
66 private 3rd party (insurer, HMO, etc)										142 reports reflected
75 public 3rd party (county, state, Medicaid, etc.)										
1 own/family funds										
0 other										
142 reports reflected										
<u>Any of the following that occurred within fourteen (14) days of ECT</u>										
					0 apnea	0 reported memory loss				
					0 fracture	0 death				
					0 cardiac arrest	0 autopsy obtained**				
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>	
<u>Level of memory impairment present</u>										
before ECT		87	55	0	0	0	n/a	0	142	
2-4 weeks after ECT:		86	56	0	0	0	0	0	142	
<u>Level of symptom severity present</u>										
before ECT		0	17	37	60	28	n/a	0	142	
2-4 weeks after ECT:		0	80	56	5	1	0	0	142	
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>				<u>Status of series treatments</u>				
2.2	308	maintenance treatments administered				21 ongoing				
0.7	103	average maintenance treatments per month				76 concluded				
5.3	759	series treatments planned				0 stopped				
7.9	1128	series treatments administered								
8	1129	total number of ECT treatments administered								
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>										
0 multiple monitoring treatments administered										
0 EEG burst suppression--anesthetic treatment for refractory depression										
0 narcotherapy using deep anesthesia										
0 magnetic seizure therapy										

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

